



	SET PRESSURE (PSI)	TUBING SIZE (IN)
CAN-1TA-7	25 ± 6	∅ 3/8 X ∅ 1/4
CAN-2TAL-8	9 ± 6	∅ 1/2 X ∅ 3/8

ITEM NO.	PART NUMBER	DESCRIPTION	CAN-1TA-7	CAN-2TAL-8
11	EH2363	NUT, COUPLING, FLEXON, 11-36, PVDF	1	1
10	EH2370	ADAPTOR TUBING, FLEXCON, 31/36, PVDF	-	1
10	EH2369	ADAPTOR TUBING, FLEXCON, 11-21, PVDF	1	-
9	EH2338	CLAMP, TUBING, FLEXCON, 31/36	-	1
9	EH2337	CLAMP, TUBING, FLEXCON, 09-21	1	-
8	E00178	O-RING, P9, AFLAS	1	1
7	E00281	SPACER, PVDF INJECTION VALVE, PVDF	1	-
6	E00202	O-RING, P5, AFLAS	1	1
5	E00279	PLUNGER, INJECTION VALVE	1	1
4	E00203	O-RING, P18, AFLAS	1	1
3	E00268	FITTING, VALVE, CAN-2, PVDF	1	1
2	EH0890	SPRING, 1/2", INJECTION, HC	1	1

CONFIDENTIAL
 This drawing embodies a confidential proprietary design originated by IWAKI America incorporated, and all design, manufacturing, reproduction, use and sale rights regarding the same are expressly reserved. It is submitted under a confidential relationship for a specific purpose, and the recipient agrees by accepting this drawing not to supply or disclose any information regarding it to any unauthorized person or to incorporate in other projects any special features peculiar to this design.

MATERIAL N/A	FINISH N/A
 UNSPECIFIED DIMENSIONS, FEATURES AND GEOMETRIES TO BE TAKEN FROM THE PROVIDED 3D MODEL DATABASE. TOLERANCES OF UNSPECIFIED FEATURES TO BE IN ACCORDANCE WITH Commercial Grade Standards & Practices of Plastics Molders GUIDELINE	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES DIMENSION WITH: () ARE CRITICAL () ARE FOR REFERENCE ONLY TOLERANCES: FRACTIONAL: ± 1/8" ANGULAR: MACH ± 0.5° BEND ± 1° TWO PLACE DECIMAL ± 0.01" THREE PLACE DECIMAL ± 0.005" BREAK ALL SHARP CORNERS 0.005" MAX. INTERPRET GEOMETRIC TOLERANCING PER: (ASME) Y14.5

IWAKI AMERICA 5 Boynton Road
 Holliston, MA 01746

TITLE:
VALVE INJECTION, TA, FLEXCON

PROJECT INJ. VALVE DO NOT SCALE DRAWING

SCALE: 1:1	SIZE B	DWG. NO. CAN-XTAX-X-SPECS	REV
------------	--------	---------------------------	-----